Thematic contribution to the socialist congress in 2025:

DEATH IF UNDER 40!

Anorexia affects over 1% of French women and over 0.2% of men. There's a pattern to all eating disorders like anorexia. The desire to die quickly is the most common symptom of anorexia. The fight against anorexia is not limited to a race against thinness, and thinking only of showing skeletal cases only increases the opinions of those who find the disease a good thing.

Cases of this eating disorder must be recognized as suicidal. This will prevent the majority of cases of this pathology from continuing to persist in this scourge. Most anorexics don't want to die, but only to become hyper-thin. By making them understand that anorexia is also present to the point of rapid death, we will save tens of thousands of lives.

This carte blanche will be published in a new independent newspaper and media. This is what anorexia causes so many subjects to understand so they will fall into anorexia. Already, the subject will begin to have no more energy than before, then the risks of emotional coma are often fatal and if survival, the patient spends his last weeks of life with a blood pressure of 6 and with sepsis. Nothing to look forward to. Sepsis swells the body if it gives a deadline (date of death) very close to the day when swelling starts, and there is less than a month before reacting.

Recognizing cases of suicidal anorexia can help parents react, especially as 80% of anorexia cases occur before the age of 18. Let's circulate this manifesto in secondary schools. Psychiatrists will then be better able to treat final cases of anorexia at any age. The case cited in this article is only recognized in the elderly. In France, over 9,000 people commit suicide for every 70,000,000 people. On the one hand, this is an alarming figure, but suicide is very rare. So out of more than 700,000 cases of anorexia, we can save an astronomical number of cases.

Wicem Gindrey